MUNKEN

Munken Premium Cream

We are still able to read books that were printed hundreds of years ago thanks to high quality paper used. Munken Premium Cream has been inspired by that genuine quality and is intended to be kept for many future generations. Munken Premium Cream is a cream shaded, woodfree, uncoated paper with a natural surface that provides excellent readability. The paper is suitable for both black and white and 4-colour print and is ideal for all intricate, beautiful and exclusive printed matter. Munken Premium Cream comes in various bulks and grammages and is available in both sheets and reels. There is also a white shaded version: Munken Premium White.

Munken Premium Cream standard products are available as EU Ecolabel, FSC[®] – The mark of responsible forestry. www.fsc.org. FSC-C020637 and PEFC[™] PEFC/05-33-99 certified.



The mark of responsible forestry







EU Ecolabel : SE/011/05

Technical specifications

Basic information:	Optimized for text, Available in sheets, Available in reels
Surface:	Uncoated surface-sized
Shade:	Cream
Printing techniques:	Offset, Flexo, Laser (black/white), Inkjet (black/white)
Certificates/Statements:	FSC_C020637, PEFC_053399, EU Ecolabel, ECF, ISO 14001, EMAS, Paper Profile, Safety of
	Toys, Food contact, Age resistant (ISO 9706), Woodfree, Cradle to Cradle Certified ${ m I\!B}$

Munken Premium Cream 13

Grammage (g/m²)	80	90	100	115	
Opacity (%)	89	90	91	93	
Thickness (µm)	104	117	130	150	
Bulk (thickness/grammage)	1.3	1.3	1.3	1.3	
Whiteness (CIE)	62	62	62	62	
Brightness (ISO 2470/D65 %)	80	80	80	80	
Roughness (Bendtsen, ml/min)	300	300	300	300	

Munken Premium Cream 15

Grammage (g/m²)	80	90	100	
Opacity (%)	88	90	92	
Thickness (µm)	120	135	150	
Bulk (thickness/grammage)	1.5	1.5	1.5	
Whiteness (CIE)	62	62	62	
Brightness (ISO 2470/D65 %)	80	80	80	
Roughness (Bendtsen, ml/min)	300	300	300	

Munken Premium Cream 17.5

Grammage (g/m²)	80	90	100 ^D	
Opacity (%)	88	90	92	
Thickness (µm)	140	158	175	
Bulk (thickness/grammage)	1.75	1.75	1.75	
Whiteness (CIE)	62	62	62	
Brightness (ISO 2470/D65 %)	80	80	80	
Roughness (Bendtsen, ml/min)	500	500	500	

^D Not standard production. Min. 10 tonnes and paper machine trim needed.

Munken Premium Cream 19.5

Grammage (g/m²)	80	90	100	
Opacity (%)	89	91	93	
Thickness (µm)	156	176	195	
Bulk (thickness/grammage)	1.95	1.95	1.95	
Whiteness (CIE)	62	62	62	
Brightness (ISO 2470/D65 %)	80	80	80	
Roughness (Bendtsen, ml/min)	700	700	700	